

DELO DURABILITY FOR TRUCKS & BUSES

DAF



WELCOME TO TEXACO® DELO® PRODUCTS

Keeping you on the road is part of our business. Making the most of your investment is yours. At Chevron, we understand just how critical both of these are to your operation and livelihood.

Thank you for the opportunity to let us introduce you to the Delo product line, providing bumper-to-bumper protection.

We'll share why Delo with ISOSYN[®] Technology helps provide the world-class protection customers need to be confident they are maximising vehicle productivity and minimising operating costs.

You'll also see how Delo can help maximise fuel economy, how it compares to competitive products in testing and what our customers are saying about the value Delo contributes to their business and bottom line.

We consider this guide to be an introduction. We look forward to learning more about the needs of your vehicles and how Delo products can help you and your business go further.

DELO®: A HISTORY OF FIRSTS



Delo family of products.

Helping you achieve optimum performance out of every mile by delivering extended service protection, helping maximise engine durability and minimise operating cost.



LET'S GO FURTHER WITH TEXACO® DELO®

When your heavy duty vehicles are in motion, your business is driving profits. At Chevron, our goal is to give you the confidence to safely push engines further to help minimise operating costs and maximise performance. As your lubrication partner, we strive to keep your fleet highly competitive and your costs well in line.

Delo

We understand the challenges facing the transport industry today:

- New engine technology development
- Fuel economy improvement
- Reduction of vehicle carbon and emission footprints
- Extending drain intervals
- Government regulations
- Emission standards
- Multiple fuel performance items (diesel, biodiesel, dual fuel and natural gas).

Count on Chevron's industry experience, technology leadership and the Delo family of premium products to stay ahead of these challenges and help protect and maximise the life of your key equipment and vehicles.

Reliability and durability are our priority

Chevron lubricants stand for one thing above all else reliability. Properly lubricating the inside of a heavy duty diesel engine requires more than just creating a protective film. Delo heavy duty engine oils provide soot dispersancy, wear protection and sludge control, to guard against loss of engine life and help reduce fuel and oil consumption.

Additionally, the Delo family of products deliver integrity and performance as proven by various bench testing results. Delo's industry-leading lubricants have logged countless hours providing protection to diesel engine parts, so your heavy duty vehicle can go further.





Delo[®] with ISOSYN[®] Technology gives you the performance, protection and confidence you need to help your business go further.

What is ISOSYN?

ISOSYN Technology is how Chevron formulates its top-tier Delo products. It's the combination of premium base oils with high performance additives and Chevron's formulation expertise that provides protection for diesel engine parts. All at great value.

to help your business go further.

- Provides extended service protection
- Helps maximise engine durability
- Helps minimise operating costs.



Focused parts protection

Delo with ISOSYN Technology protects critical engine parts to help maximise engine and equipment life.



Delo with ISOSYN Technology gives you the performance, protection and confidence you need

Premium base oils **High performance additives Chevron formulated expertise**





3

DELO® HEAVY DUTY ENGINE OIL RANGE. PROVIDING WORLD-CLASS PROTECTION

Delo 400 XSP-FA SAE 5W-30

Long-drain FA-4 low SAPS engine oil for newer engines, with optimum fuel economy performance Product highlights:

- Helps improve fuel economy by up to 1.3%
- Offers good keep-clean performance
- Contributes to maximum vehicle service life Aids emissions control system service life
- Low temperature flow and pumpability

Keep-clean engine protection

Long DPF service life

Extended drain intervals

Promotes cylinder, piston and valve train wear protection

Delo 400 XLE HD SAE 5W-30

Long-drain CJ-4, E4/E6/E7/E9, LDF-4 low SAPS engine oil with fuel economy performance* Product highlights:

- Wide range of on-road, off-road and construction applications
- Reduced inventory complexity and cost
- Low SAPS Euro VI technology
- **Delo 400 XSP-SD** SAE 5W-30

Long-drain CK-4, E6/E7/E9 engine oil with optimum fuel economy performance Product highlights:

- Designed for improved fuel economy
- Offers extended drain wear protection
- Designed for cold start protection

Delo 400 XLE SAE 10W-30

Long-drain CK-4, E6/E9 low SAPS engine oil with some fuel economy benefits Product highlights:

- Designed for high performance oxidation resistance
- Promotes wear and corrosion protection
- Helps improve fuel economy

Delo 400 XLE HD SAE 10W-40

Long-drain CJ-4, E4/E6/E7/E9 low SAPS engine oil Product highlights:

- Suitability for a wide range of OEM applications helps reduce inventories
- Helps keep piston rings, piston lands and valves clean
- Offers latest technology engine protection

Delo 400 LE Synthetic SAE 5W-40

Heavy-duty synthetic CJ-4, E7/E9 diesel engine oil Product highlights:

- Formulated for protection in latest ULSD diesel engines
- Designed with low SAPS technology
- Helps protect against wear, corrosion, deposits and soot

- Formulated to reduce emission control system maintenance
- Promotes good cold start wear protection
- Designed for extended oil drain intervals

NEW

NEW

NEW

- Suitable for mixed fleets
- Promotes cold start wear protection
- Offers wide temperature operations

Delo 400 SP SAE 5W-30

Long-drain CI-4, E6/E7/E9 low SAPS engine oil with fuel economy performance* Product highlights:

- Fuel efficiency with low emissions performance
- Offers optimised wear and corrosion protection

Delo 400 RDE SAE 10W-30

Long-drain CI-4, E6/E7/E9 low SAPS engine oil with some fuel economy benefits Product highlights:

- Maximum uptime
- Emissions system protection
- Keep-clean performance

Delo 400 RDS SAE 10W-40

Long-drain CI-4, E6/E7/E9 low SAPS engine oil Product highlights:

- Maximum uptime
- Emissions system protection
- Keep-clean performance

Delo Gold Ultra S SAE 10W-40

Scania LDF-3 approved CF, E4/E7 engine oil Product highlights:

- Suitable for Scania Euro VI and backwards compatibility from Euro VI to Euro II
- Suitable for use in trans-continental fleet operations

Delo 400 MGX SAE 15W-40

Product highlights:

- Wide range of uses helps minimise misapplication
- Reduces large oil inventories and costs
- Helps control soot and valve train wear

Delo Gold Ultra E SAE 10W-4

CI-4, E7 engine oil

Delo Gold Ultra E SAE 15W-40

CI-4, E7 engine oil

Delo Gold Ultra T SAE 10W-40

Long-drain CI-4, E4/E7 engine oil

Offers wear, oxidation and sludge control

Formulated for keep-clean performance

Helps minimise DPF cleaning

- Backwards compatible
- Formulated for optimum DPF life
- Offers low temperature protection



- Promotes cold or sub-zero engine start protection
- Formulated for optimised engine service life
- Helps reduce emission system service downtime
- Reduced fleet operating costs
- Suitable for a wide range of vehicles

- Reduced fleet operating costs
- Suitable for a wide range of vehicles
- High performance TBN retention
- Robust deposit control
- Promotes cold start protection and fuel economy

Low SAPS CJ-4, E7/E9 engine oil with strong TBN retention, for use in high and low sulphur fuel regions

- Designed for optimum service with minimal maintenance
- Formulated to aid DPF service life


* Relative to conventional 15W-40 engine oil. Actual fuel economy improvement is dependent on vehicle/equipment type,


HEAVY DUTY ENGINE OILS WITH PROVEN PERFORMANCE RESULTS

Protection, even at low viscosity

Your on-road trucks and vehicles put heavy duty engine oils to the test everyday from stop-and-go city driving to long hauls under extreme conditions. Delo® goes further to prove its value across your fleet.

In tests, the Delo 5W-30 oils demonstrated durability, reliability, outstanding wear protection and engine cleanliness that exceeds OEM and industry requirements.





Outstanding wear protection

Whilst Delo low viscosity oils are thinner than 10W-40 and 15W-40 grades, there is no compromise on wear. In tests. Delo 400 XSP-FA SAE 5W-30 showed wear performance which was significantly better than the test limits.



In the Mercedes-Benz OM 501 LA piston cleanliness test, Delo 5W-30 oils demonstrated excellent performance.



R.E. West Transportation truck using Delo lubricants still in great condition, with minimal wear, even after 1.5 million miles

A family business, based in Nashville, Tennessee, R.E. West Transportation is a nationally recognised carrier with a fleet of trucks and trailers operating throughout the United States and Canada. The company has depended on Delo lubricants and coolants for years and the protection provided by Delo products allows their fleet to regularly achieve high mileage.

Owner, R.E. "Bob" West had been sharing the legend of a truck running a Detroit Diesel engine with 1.5 million miles on it without an overhaul. So a team including the company's own mechanics and those from maintenance provider Clarke Power Services in Nashville, tore down the 1.5 million mile Series 60 engine for an extensive, three-day inspection. "Thanks to the protection provided by Delo, the engine appeared to be a fraction of its true age", explained Jenny West, R.E. West's Chief Financial Officer.

Speaking of the protection that Delo products offer, Steve McCluskey, customer support manager for the local OE dealer that R.E. West utilises, also added: "We rebuild 800-plus engines in this shop each year. We see various occurrences of wear on pistons, bearings...several different items on the engine, and this engine with 1.5 million [miles] on it...you can tell that it's really holding up using Delo oil."

Piston

Shows minimal deposit formation with ring lands clear of hard deposits, ensuring no ring sticking.



Piston under-crown

Shows minimal wear and no build-up of harmful carbon deposits.





Jenny West

We're delighted with the performance of the Delo[®] 400 with ISOSYN[®] Technology. This engine could do another million miles.

James McGeehan Senior Consulting Scientist, Chevron Lubricants





Piston liner exterior

Shows no liner pitting or harmful scale buildup using Delo XLC after 1.5 million miles.



Rocker arms

Bronze bushings are in good condition and no harmful deposits on the arms or actuators.



The parts coming out of this engine had minimal wear and looked really good. Once we get this rebuild done, we're putting the truck back on the road, and we believe this truck will go another million plus miles.


Chief Financial Officer, R.E. West Transportation

PROTECTING YOUR VEHICLES, BUMPER-TO-BUMPER

Delo[®] heavy duty engine oils, gear oils, transmission fluids and extended life coolants are specially formulated to meet the intense demands your vehicles face.

Choosing the proven performance of Delo quality lubricants can help maximise your fuel efficiency. That could mean a higher return on investments, mile after mile. At Chevron, we have a history of heavily investing in research and development to ensure your vehicles and equipment get the utmost protection from bumper-to-bumper. We're so confident about the quality of Delo[®] products, that we offer a bumper-to-bumper warranty you may not find from other manufacturers.

For a full list of product recommendations for your vehicle, visit: chevron-eu.lubricantadvisor.com





COOLANTS THAT CONTRIBUTE TO LONG ENGINE LIFE

GEAR LUBRICANTS AND TRANSMISSION FLUIDS FOR EXTREME DRIVELINE PROTECTION

The heavy working diesel engines in trucks, buses, coaches and other highway service vehicles produce an enormous amount of heat and require good cooling system protection and maintenance.

Keeping your engines operating efficiently requires a high performing, extended life coolant – plus a good coolant maintenance programme. Delo[®] XLC Antifreeze/ Coolant has a proven track record for high performance.

Delo XLC delivers optimum engine performance and simplifies the way cooling systems are maintained. Our patented corrosion inhibitors help maximise hardware parts performance and heat transfer over the life of your engine. That's protection that has stood the test of time and millions of on-road miles.

Compared to conventional coolants, Delo XLC products can help minimise operation costs and maximise your engine life.

Keep your cool as you go further

Properly maintaining your cooling system is easy with these steps:

- Use Delo XLC Antifreeze/Coolant for top off
- Do a regular visual inspection for signs of contamination
- Run a biannual check for freeze point.

Delo XLC Antifreeze/Coolant Concentrate, Premixed 50/50, Premixed 40/60

Extended life antifreeze/coolants Product highlights:

- Formulated for long, low maintenance service life
- Offers over 650,000 km in trucks and buses
- Promotes reliability and corrosion protection
- Contributes to reliable hard water stability
- Aids high temperature corrosion protection

Delo XLC PG Antifreeze/Coolant Concentrate

Extended life Propylene Glycol antifreeze/coolant Product highlights:

- Offers extended low maintenance service life
- Mixed fleet applications
- Promotes component protection and reliability
- Hard water stability
- Aids high temperature aluminium corrosion protection

Delo XLI Corrosion Inhibitor Concentrate

Extended life corrosion inhibitor



After 16,000 hours of operation in our trash trucks – Delo XLC has protected our liners against pitting and rust the outside of our piston liners look brand new.

David Achiro Sierra Disposal



Delo Svn-Gear HD SAE 75W-90

Synthetic automotive gear oil Product highlights:

- Long-drain capability of 400,000 km
- Wide temperature range component pro

Delo Syn-Gear XS SAE 75W-140

Fully synthetic automotive gear oil Product highlights:

- Designed to offer long-drain capabilities
- Improved fuel economy

Delo Syn-AMT XV SAE 75W-80

Fully synthetic transmission fluid Product highlights:

- Designed for 450,000 km long-drain cap
- Offers cold start protection
- Formulated for smooth shifting

Delo Svn-MTF XZ SAE 75W-80

Synthetic manual transmission fluid Product highlights:

- Up to 450,000 km drain intervals
- Smooth shifting performance

Delo Syn-TDL SAE 75W-90

Volvo 97312 approved Total Driveline lubrica Product highlights:

- Suitable for many synchronised manual transmissions and final drives
- Long-drain capability

Delo Syn-Gear XPD SAE 75W-85

Low viscosity synthetic gear oil with optimum fuel economy performance

Delo Svn-AMT XDT SAE 75W-90

Fully synthetic transmission fluid for Merced PowerShift heavy duty automated manual transmission systems

ATF HD 389

Allison TES-389 approved automatic transm fluid

We know that maintenance of your vehicles is a critical job. Protecting transmissions and differentials is just as important as engine components.

Our full line of premium Delo® gear lubricants and transmission fluids are formulated to help these

otection	 Effective wear and corrosion resistance Proven 3% fuel economy when used with Delo Syn-AMT XV SAE 75W-80
5	 Promotes protection against scuffing and wear Offers rapid system protection during cold starts
bability	Designed for consistent high temperature protectionOffers improved fuel economy
	Long fluid service lifeHigh temperature protection
int	 Provides reliable EP protection and wear resistance Offers rapid oil circulation during cold start-up
	Delo Gear CGA SAE 80W-90
m	Extended drain gear oil for heavy duty final drives and differentials
	Delo Syn ATF HD
des	Fully synthetic automatic transmission fluid
	Delo Gear TDL SAE 80W-90, 80W-140
ission	Total Driveline lubricants

PRODUCTS TO HELP MAXIMISE FUEL ECONOMY

WHAT WOULD YOU DO WITH YOUR FUEL SAVINGS?

Delo[®] can help save on fuel.

On average, 40% of a fleet's operating cost is fuel. There are many things you can do to improve fuel economy. A great place to start maximising fuel efficiency is with your choice of engine oil. That's where Delo premium quality engine oil formulated with ISOSYN® Technology can help your business go further.

By switching to Delo fuel economy products, you could see up to 4.5% fuel economy improvement compared to higher viscosity grades. Multiply these savings by a hundred or more vehicles in a fleet, and the results are impressive.

Many factors contribute to fuel savings

Lower viscosity oils can play a part in improving fuel economy. Other factors to consider:

- Speed
- Engine idling
- Fuel efficient tyres
- Vehicle aerodynamics.

Remember that along with fuel economy, Delo products can help promote durability and extended service protection too.

Engine oils

- Delo 400 XSP-FA SAE 5W-30
- Delo 400 XLE HD SAE 5W-30
- Delo 400 XSP-SD SAE 5W-30
- Delo 400 SP SAE 5W-30
- Delo 400 XLE SAE 10W-30
- Delo 400 RDE SAE 10W-30

Coolant

Delo XLC Antifreeze/Coolant

Transmission fluids

- Delo Syn-AMT XV SAE 75W-80
- Delo Syn-MTF XZ SAE 75W-80

Axle oils


- Delo Syn-Gear HD SAE 75W-90
- Delo Syn-TDL SAE 75W-90






Sustained fuel economy

In tests, lower viscosity oils showed a significant improvement in fuel economy, which is directly linked to a reduction in CO_2 emissions. Volatility and resistance to thickening also remained within ACEA limits. ensuring that FE performance was maintained throughout the oil drain period and the need for top-up was limited.



CO₂ emission reduction





Volvo D12D test

10W-30 and 5W-30 grade oils showed significant fuel economy improvement, based on driving conditions, when compared with 10W-40 and 15W-40 grades in Volvo D12D test.

Impact of small fuel savings % across fleet CO₂ emissions reductions

Testing commissioned by Chevron in the United States, following SAE J1321 test standards and measurement protocols. Figures based on US Environmental Protection Agency (EPA) standards.

GREASES PROVIDING SMOOTH OPERATION OF CRITICAL PARTS

WE'RE WITH YOU FOR THE LONG HAUL

To help your truck, bus, coach or vehicle go further, it's important that every part operates smoothly. Our Texaco[®] premium grease products are formulated to provide high performance and long-life protection, across a range of operating conditions.

Delo[®] greases are designed to protect key greased vehicle components in adverse climates and tough operating environments.

Hytex EP 2 LF

Long-service multi-purpose lithium complex grease Product highlights:

- Long-term (lifetime) lubrication performance
- Laboratory and field-proven

Delo Starplex EP 2

Multi-purpose lithium complex grease Product highlights:

- Aids long-term wear, corrosion and oxidation protection

- Wide temperature protection
- . Contributes to wear, rust, corrosion and oxidation resistance

- High thermal resistance
- Mechanically stable

Helps protect against dust, dirt and water ingress

Helps protect in a range of applications

Carries key automotive OEM approvals

Delo Grease MM EP 2

Extreme pressure multi-purpose lithium grease Product highlights:

- Formulated for reliable mechanical stability
- Offers EP protection to bearings
- Designed for wet and dry environments

Texclad 2

Calcium grease containing Molybdenum Disulphide (MoS₂) and Graphite

Multifak 264 EP 00/000

Lithium grease for centralised lubricating systems

Molytex EP 2

Multi-purpose heavy duty EP lithium grease containing Molybdenum Disulphide (MoS₂)



Your vehicles are put to the task every day to keep moving and stay profitable. It's a challenging business and we're here for you, offering industry knowledge, high quality products and customised services to keep you moving forward.

LubeWatch[®] used oil analysis

Chevron's premier programme incorporates standardised lubricant sampling and unique online tools to help ensure optimised equipment drain intervals and performance checks to ensure long equipment life.

Coolant maintenance kit

This kit helps ensure long life coolant system protection. It provides easy-to-use tools to monitor optimal coolant life along with incorporating helpful coolant knowledge information.







INDUSTRY LEADING PRODUCTS APPROVED BY THE WORLD'S LEADING MANUFACTURERS

Our strong technical relationships with all the Original Equipment Manufacturers (OEMs), along with our extensive industry knowledge and technological expertise, come together to provide products that carry the necessary approval credentials to support your business.

Our engine oils are tested to meet the intense performance demands facing your vehicle. We don't just meet the approval criteria, we exceed them. From the stop and start driving conditions of the city, to travel over long distances in difficult climatic conditions, you can count on the performance of Delo[®].

Our specification profiles cover the requirements of:

- Cummins
- DAF
- Iveco
- MAN

- Mercedes-Benz
- Renault Trucks
- Scania
- Volvo.



To find out more about how our products and services can assist you, contact your Texaco® Representative, your Authorised Texaco Lubricants Distributor or visit texacodelo.com



Protection from bumper-to-bumper. That's the plus that comes with Delo[®].

At Chevron you could say R&D is in our DNA. We are constantly striving to improve the way our Delo family of products protect and perform. We stand with confidence behind our lubrication products with a bold bumper-to-bumper warranty you won't find from most manufacturers.

texacodelo.com



The products featured are shortlisted. There is a full suite of Texaco[®] products that can tailor to customers' needs. Not all products featured are available in your market. Check with your local Texaco sales representative to find out more. Always check OEM requirements when making changes and utilise used oil analysis for extended oil drain intervals.

Delo



© 2018-2020 Chevron. All rights reserved. All trademarks are the property of Chevron Intellectual Property LLC or their respective owners. Delo

Delo_mm